

# NEMO

## Linescapes pendant horizontal

NEMO STUDIO

Family of floor, ceiling and wall elements, versatile with an highly efficient linear luminous output. Body in aluminium extruded and opal white polycarbonate diffuser, junctions and fixing components in die-casted aluminum and steel. Horizontal cantilever wall version supplied with kit for connection with remote driver. White finishing with elements painted in grey or light gold.



# NEMO


## Linescapes pendant horizontal

NEMO STUDIO

### DOWNLIGHT

#### Lamping

Source	LINEAR LED
Total power	42W
Emission	Diffused down
Switching	dimnable 1-10V, resistance, PWM
Tension	110-240V/24V DC
Color temperature	2700Å°K
Luminous flux	3825lm
Typ cri	80
Energy class	A+
Ip class	44
Dimensions	198x2x2
Typ cri	80



#### Codes

LIN LWW 53

#### Structure



#### Diffuseur

# NEMO


## Linescapes pendant horizontal

NEMO STUDIO

### UPLIGHT

#### Lamping

Source	LINEAR LED
Total power	42W
Emission	Diffused up
Switching	dimnable 1-10V, resistance, PWM
Tension	110-240V/24V DC
Color temperature	2700Å°K
Luminous flux	3825lm
Typ cri	80
Energy class	A+
Ip class	44
Dimensions	198x2x2
Materials	Aluminium
Typ cri	80



#### Codes

LIN LWW 52

#### Structure



#### Diffuseur